


Technical data sheet

Cone cable gland, PG thread, light grey

Item number: 2035995



With metric connecting thread to IEC 423 robust cap-nut cable gland with large sealing area. Strain relief, wringing protection and tightness over the whole clamping area. Sealing ring made of polychloroprene/acrylonitrile butadiene rubber. Moulded shaped sealing lip on intermediate support, thus no connection thread sealing ring required, VDE-tested to DIN EN 50262, . Temperature range -20 °C to +65 °C.
Impact-resistant



PS Polystyrene

Master data

Item number	2035995
Type	106 G PG16 PS
Description 1	Cable gland
Description 2	with large sealing ring
Manufacturer	OBO
Dimension	PG16
Colour	Light grey; RAL 7035
Material	Polystyrene
Smallest sales unit	50
Unit of quantity	Piece
Weight	1.046 kg
Weight unit	kg/100 pc.

Technical data

Sealing area D, max.	12.5 mm
Sealing area D, min.	9 mm
explosion-proof	no
Thread	Pg 16
Halogen-free	no
Impact-resistant	yes
Protection rating	IP54

Technical data sheet

Cone cable gland, PG thread, light grey

Item number: 2035995



Technical data

Permitted temperature range, max.	65 °C
Permitted temperature range, min.	-20 °C